Milliken.

# **CAPTURE® 4# KIT**

Version 1.6	Revision Date: 2019/08/27		DS Number: 00000003000004617	Date of last issue: 2019/07/24 Date of first issue: 2014/10/23
SECTION	1. IDENTIFICATION			
	ct name ct code	:	CAPTURE® 4# KIT 000000003000004617	
Manufacturer or supplier's		deta	ails	
Addre			Milliken & Company 920 Milliken Rd Spartanburg SC 29303	
	l address gency telephone	:	+1-864-503-1940 (M-F, 8 sds@milliken.com In case of emergency cal CHEMTREC WORLD: 1-	, I CHEMTREC US: 1-800-424-9300,

### Recommended use of the chemical and restrictions on use

Recommended use	: carpet cleaner
-----------------	------------------

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
Chemical nature	:	Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
limestone	1317-65-3	>= 20 - < 30
zinc chloride	7646-85-7	< 0.1

Actual concentration is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

General advice	:	Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of eye contact	:	Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.



# **CAPTURE® 4# KIT**

Version 1.6	Revision Date: 2019/08/27		OS Number: 0000003000004617	Date of last issue: 2019/07/24 Date of first issue: 2014/10/23
and	Most important symptoms and effects, both acute and delayed		None known.	
SECTION	N 5. FIREFIGHTING MEA	SU	RES	
Furtl	ner information	:		chemical fires. sures that are appropriate to local surrounding environment.
	cial protective equipment refighters	:		eathing apparatus for firefighting if
SECTION	N 6. ACCIDENTAL RELE	AS	E MEASURES	
prote	onal precautions, ective equipment and rgency procedures	:	Avoid dust formation.	
Envi	Environmental precautions Methods and materials for containment and cleaning up		If the product contamina respective authorities.	ates rivers and lakes or drains inform
			Sweep up and shovel.	posal without creating dust. I containers for disposal.
SECTION	N 7. HANDLING AND ST	OR	AGE	
	ce on protection against and explosion	:	Provide appropriate ext is formed.	naust ventilation at places where dust
Advi	ce on safe handling	:	For personal protection Smoking, eating and dr application area.	see section 8. inking should be prohibited in the
	ditions for safe storage	:	Electrical installations / the technological safety	
Mate	erials to avoid	:	No materials to be espe	ecially mentioned.
	her information on age stability	:	Keep in a dry place.	

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
limestone	1317-65-3	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	15 mg/m3	OSHA P0

Milliken.

# **CAPTURE® 4# KIT**

ersionRevision Date:.62019/08/27		SDS Number: 0000000030000		Date of last issue: 2019/07/24 Date of first issue: 2014/10/23		
			TWA (Total dust)	15 mg/m3	OSHA P0	
			TWA (respirable dust fraction)	5 mg/m3	OSHA P0	
			TWA (respirable dust fraction)	5 mg/m3	OSHA P0	
			TWA (Respirable)	5 mg/m3	NIOSH REL	
			TWA (total)	10 mg/m3	NIOSH REL	
zinc c	hloride	7646-85-7	TWA (Fumes)	1 mg/m3	OSHA Z-1	
			TWA	1 mg/m3	ACGIH	
			STEL	2 mg/m3	ACGIH	
			TWA (Fumes)	1 mg/m3	NIOSH REL	
			ST (Fumes)	2 mg/m3	NIOSH REI	
			TWA	1 mg/m3	OSHA P0	
			STEL	2 mg/m3	OSHA P0	
			TWA (Fumes)	1 mg/m3	ACGIH	
			STEL (Fumes)	2 mg/m3	ACGIH	
			TWA (Fumes)	1 mg/m3	NIOSH REL	
			ST (Fumes)	2 mg/m3	NIOSH REL	

Appropriate engineering controls	:	No data available
Personal protective equipm	nent	
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye protection Skin and body protection Hygiene measures	: : :	Safety glasses Protective suit General industrial hygiene practice.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Colour Odour Odour Threshold pH	:	powder white, off-white slight No data available 7 - 9 Concentration: 10 g/l
Melting point/freezing point Boiling point/boiling range	:	No data available Not applicable
Flash point	:	not determined
Evaporation rate	:	No data available

Milliken.

# **CAPTURE® 4# KIT**

Vers 1.6	ion	Revision Date: 2019/08/27		S Number: 000003000004617	Date of last issue: 2019/07/24 Date of first issue: 2014/10/23
	Flomme	bility (colid goo)		No data available	
		ability (solid, gas)	:	No data available	
		ability (liquids)	:	No data available	
	Self-ign		÷		
		explosion limit / Upper bility limit	-	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Vapour	pressure	:	No data available	
	Relative	e vapour density	:	No data available	
	Relative	e density	:	No data available	
	Density		:	No data available	
	Solubilit	ty(ies)			
	Wate	er solubility	:	insoluble	
	Solu	bility in other solvents	:	No data available	
	Partitior octanol/	n coefficient: n- /water	:	No data available	
	Auto-igr	nition temperature	:	No data available	
	Decom	position temperature	:	No data available	
	Visc	osity, dynamic	:	No data available	
	Visc	osity, kinematic	:	No data available	
	Molecul	lar weight	:	No data available	

Reactivity : Chemical stability : Possibility of hazardous : reactions	No decomposition if stored and applied as directed. No decomposition if stored and applied as directed. Stable under recommended storage conditions. No hazards to be specially mentioned. Dust may form explosive mixture in air.
Conditions to avoid :	No data available
Hazardous decomposition products Hazardous decomposition : products	No data available

### SECTION 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

Not classified based on available information.

### Product:

Acute oral toxicity	:	LD50 Oral (Rat): > 5,000 mg/kg
---------------------	---	--------------------------------

### **Components:**

### zinc chloride:

Acute oral toxicity	: LD50 (Rat): 350 mg/kg
---------------------	-------------------------

### Skin corrosion/irritation

Not classified based on available information.

# **CAPTURE® 4# KIT**

Milliken.

Version 1.6	Revision Date: 2019/08/27	SDS Number: 00000003000004617	Date of last issue: 2019/07/24 Date of first issue: 2014/10/23
Com	ponents:		
zinc	chloride:		
	sure time ssment	<ul> <li>Rabbit</li> <li>120 h</li> <li>Causes severe burns.</li> <li>Severe skin irritation</li> </ul>	
	ous eye damage/eye lassified based on ava		
Resp	iratory or skin sensi	tisation	
•••••	sensitisation lassified based on ava	ailable information.	
-	iratory sensitisation lassified based on ava		
<u>Prod</u> Resu		: Does not cause skin se	nsitisation.
Germ	n cell mutagenicity		
	lassified based on ava	ailable information.	

### Carcinogenicity

Not classified based on available information.

- **IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- **OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
- **NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

#### **Reproductive toxicity**

Not classified based on available information.

### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

### Further information

### Product:

Remarks

: No data available

Milliken.

# **CAPTURE® 4# KIT**

rsion	Revision Date: 2019/08/27		S Number: 0000003000004617	Date of last issue: 2019/07/24 Date of first issue: 2014/10/23
CTION	12. ECOLOGICAL INFO	ORM	ΙΑΤΙΟΝ	
Faata	viole.			
	oxicity			
Comp	oonents:			
	chloride:			
Toxici	ty to fish	:	LC50: 0.027 mg/l Exposure time: 96 h	
	ty to daphnia and other ic invertebrates	:	EC50 (Daphnia magna Exposure time: 48 h	(Water flea)): 100 µg/l
			EC50: 49.99 µg/l Exposure time: 48 h	
Toxici	ty to algae	:	EC50 (Chlorella vulgaris Exposure time: 72 h	s (Fresh water algae)): 34 μg/l
			EC50: 26 µg/l Exposure time: 96 h	
			EC50: 1.8 mg/l Exposure time: 96 h	
	ctor (Acute aquatic	:	10	
toxicit Toxici toxicit	ty to fish (Chronic	:	NOEC (Oncorhynchus r Exposure time: 30 d	nykiss (rainbow trout)): 31.5 μg/l
aquati	ty to daphnia and other ic invertebrates	:	NOEC: 1,000 µg/l Exposure time: 21 d	
(Chro	nic toxicity)		NOEC (Daphnia magna Exposure time: 21 d	(Water flea)): 80 µg/l
M-Fac toxicit	ctor (Chronic aquatic y)	:	1	
Persis	stence and degradabili	ity		
No da	ta available			
	<b>cumulative potential</b> ta available			
Mobil	ity in soil			
	ta available			
Other	adverse effects			
<u>Produ</u>	<u>ıct:</u>			
Ozone	e-Depletion Potential	:	Protection of Stratosphe Substances	etection of Environment; Part 82 eric Ozone - CAA Section 602 Class neither contains, nor was

## **CAPTURE® 4# KIT**

Milliken.

Version 1.6	Revision Date: 2019/08/27		0S Number: 0000003000004617	Date of last issue: 2019/07/24 Date of first issue: 2014/10/23
			U.S. Clean Air Act Sec B).	tion 602 (40 CFR 82, Subpt. A, App.A +
	ional ecological nation	:	No data available	
SECTION	13. DISPOSAL CONS	IDER	ATIONS	
Dispo	osal methods			
Conta	aminated packaging	:	Empty containers shou handling site for recycl	ld be taken to an approved waste ing or disposal.
SECTION	14. TRANSPORT INF	ORM	ATION	
Interi	national Regulations			
UNR Not re	<b>TDG</b> egulated as a dangerou	ıs goo	bd	
	-DGR egulated as a dangerou	ıs goo	bd	
	<b>-Code</b> egulated as a dangerou	ıs goo	bd	
	sport in bulk accordin pplicable for product as	-		3/78 and the IBC Code
Natio	nal Regulations			
49 CF	R	ıs goo		

## EPCRA - Emergency Planning and Community Right-to-Know Act

### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
methanol	67-56-1	100	100 (F003)
zinc chloride	7646-85-7	1000	*

# \*: Calculated RQ exceeds reasonably attainable upper limit.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazards
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Milliken.

# **CAPTURE® 4# KIT**

Version 1.6	Revision Date: 2019/08/27	SDS Number: 000000003000004617	Date of last issue: 2019/07/24 Date of first issue: 2014/10/23
Clear	n Air Act		
the U This p Air Ac This p	S. Clean Air Act Sect product does not conta at Section 112 (40 CFF product does not conta	ion 602 (40 CFR 82, Subpt. A, ain any hazardous air pollutant R 61).	s (HAP), as defined by the U.S. Clean the U.S. Clean Air Act Section 112(r) for
This p	product does not conta		the U.S. Clean Air Act Section 111
Clear	Water Act		
This p 307	product does not conta	ain any toxic pollutants listed u	nder the U.S. Clean Water Act Section
	ollowing Hazardous S 116.4A:	ubstances are listed under the	U.S. CleanWater Act, Section 311,
	zinc chloride	7646-85-7	>= 0 - < 0.1 %
The fo 117.3		hemicals are listed under the L	J.S. CleanWater Act, Section 311, Table
	zinc chloride	7646-85-7	>= 0 - < 0.1 %
Maine	e Chemicals of High	Concern	
	-		at are listed as Maine Chemicals of
Califo	ornia Prop. 65		

WARNING: This product can expose you to chemicals including methanol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Additional information is available by request. ( regulatory@milliken.com )

### **SECTION 16. OTHER INFORMATION**

### Further information

### Full text of other abbreviations

ACGIH NIOSH REL		USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits
-		
OSHA P0	:	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1
		Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA		8-hour time weighted average
	:	
OSHA P0 / STEL	•	Short-term exposure limit

Milliken.

## **CAPTURE® 4# KIT**

Version	Revision Date:	SDS Number:	Date of last issue: 2019/07/24
1.6	2019/08/27	000000003000004617	Date of first issue: 2014/10/23

#### OSHA Z-1 / TWA : 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

: 2019/08/27

Please Note: As each customer's use of our product may be different, information we provide, including without limitation, any regulatory information, recommendations, test results, samples, care/labeling/processing instructions or marketing advice, is provided in good faith but without warranty and without accepting any responsibility/liability. Each customer must test and be responsible for its own specific use, further processing, labeling, marketing, etc. All sales are exclusively subject to our standard terms of sale posted at www.milliken.com/terms (all additional/different terms are rejected) unless explicitly agreed otherwise in a signed writing.

US / EN