CAPTURE® SPOT ELIMINATOR



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2018/02/01

 2.1
 2018/11/13
 000000003000005246
 Date of first issue: 2014/10/23

SECTION 1. IDENTIFICATION

Product name : CAPTURE® SPOT ELIMINATOR

Product code : 00000003000005246

Manufacturer or supplier's details

Company name of supplier : Milliken & Company Address : 920 Milliken Rd

Spartanburg SC 29303

Telephone : +1-864-503-1940 (M-F, 8-5 EST)

E-mail address : sds@milliken.com

Emergency telephone : In case of emergency call CHEMTREC US: 1-800-424-9300,

number CHEMTREC WORLD: 1-703-527-3887.

Recommended use of the chemical and restrictions on use

Recommended use : Cleansing agents, alkaline.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Gases under pressure : Liquefied gas

Eye irritation : Category 2A

GHS label elements

Hazard pictograms





Signal word : Warning

Hazard statements : H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eye irritation.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

Storage:

P410 + P403 Protect from sunlight. Store in a well-ventilated

place.

CAPTURE® SPOT ELIMINATOR



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2018/02/01

 2.1
 2018/11/13
 000000003000005246
 Date of first issue: 2014/10/23

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture Chemical nature : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
2-butoxyethanol	111-76-2	>= 5 - < 10
propane	74-98-6	>= 1 - < 5
butane	106-97-8	>= 1 - < 5
propan-2-ol	67-63-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

None known.

SECTION 5. FIREFIGHTING MEASURES

Unsuitable extinguishing

media

: High volume water jet

Further information : Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Use personal protective equipment.

Avoid breathing dust.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

CAPTURE® SPOT ELIMINATOR



Version Revision Date: SDS Number: Date of last issue: 2018/02/01 2018/11/13 00000003000005246 Date of first issue: 2014/10/23 2.1

SECTION 7. HANDLING AND STORAGE

fire and explosion

Advice on protection against : Normal measures for preventive fire protection.

Advice on safe handling Do not breathe vapours/dust.

> Avoid contact with skin and eves. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Dispose of rinse water in accordance with local and national

regulations.

BEWARE: Aerosol is pressurized. Keep away from direct sun Conditions for safe storage

exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or

red-hot objects.

Keep container tightly closed in a dry and well-ventilated

place.

Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on

storage stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z-1
		TWA	25 ppm 120 mg/m3	OSHA P0
propane	74-98-6	TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0
propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL

CAPTURE® SPOT ELIMINATOR



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2018/02/01

 2.1
 2018/11/13
 000000003000005246
 Date of first issue: 2014/10/23

ST	500 ppm 1,225 mg/m3	NIOSH REL
TWA	400 ppm 980 mg/m3	OSHA Z-1
TWA	400 ppm 980 mg/m3	OSHA P0
STEL	500 ppm 1,225 mg/m3	OSHA P0

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Samplin g time	Permissible concentratio n	Basis
2-butoxyethanol	111-76-2	Butoxyaceti c acid (BAA)	Urine	End of shift (As soon as possible after exposure ceases)	200 mg/g Creatinine	ACGIH BEI
propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of workwee k	40 mg/l	ACGIH BEI

Appropriate engineering

controls

: No data available

Personal protective equipment

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : aerosol

Liquefied gas

Colour : colourless Odour : mild

Odour Threshold : No data available

pH : 8.5 - 9.5

CAPTURE® SPOT ELIMINATOR



Version Revision Date: SDS Number: Date of last issue: 2018/02/01 2018/11/13 00000003000005246 Date of first issue: 2014/10/23 2.1

Melting point/freezing point No data available Boiling point/boiling range No data available Flash point does not flash

Evaporation rate No data available

Flammability (solid, gas) Not classified as a flammability hazard

Flammability (liquids) Not classified as supporting combustion according to the

transport regulations.

No data available

No data available Self-ignition Upper explosion limit / Upper No data available

flammability limit

Lower explosion limit / Lower

flammability limit

Vapour pressure 65 - 75 hPa

Relative vapour density No data available Relative density No data available 0.96 - 0.98 g/cm3 Density

Solubility(ies)

Water solubility soluble

Solubility in other solvents Partition coefficient: n-

No data available No data available

octanol/water

Auto-ignition temperature No data available Decomposition temperature No data available Viscosity, dynamic No data available Viscosity, kinematic No data available Molecular weight No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity No decomposition if stored and applied as directed. No decomposition if stored and applied as directed. Chemical stability Possibility of hazardous No decomposition if stored and applied as directed.

reactions

Conditions to avoid No data available

Hazardous decomposition products

Hazardous decomposition No data available

products

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity LD50 Oral (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute oral

Remarks: No adverse effect has been observed in acute

CAPTURE® SPOT ELIMINATOR



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2018/02/01

 2.1
 2018/11/13
 000000003000005246
 Date of first issue: 2014/10/23

toxicity tests.

Acute inhalation toxicity : Acute toxicity estimate: > 30000 ppm

Exposure time: 4 h
Test atmosphere: gas
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Components:

propan-2-ol:

Acute oral toxicity : LD50 (Rat): 5,045 mg/kg

Acute inhalation toxicity : LC50 (Rat): 16000 ppm

Exposure time: 8 h

Acute dermal toxicity : LD50 (Rabbit): 12,800 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : May cause skin irritation in susceptible persons.

Components:

propan-2-ol:

Species : Rabbit

Assessment : Irritating to skin.
Result : Mild skin irritation

Serious eye damage/eye irritation

Causes eye irritation.

Product:

Remarks : May cause irreversible eye damage.

Components:

propan-2-ol:

Species : Rabbit

Result : Irritating to eyes.

Exposure time : 24 h

Assessment : Irritating to eyes.

CAPTURE® SPOT ELIMINATOR



Version Revision Date: SDS Number: Date of last issue: 2018/02/01 2018/11/13 00000003000005246 Date of first issue: 2014/10/23 2.1

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

propan-2-ol:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 5,102 mg/l

Exposure time: 24 h

EC50 (Daphnia magna (Water flea)): 6,851 mg/l

Exposure time: 24 h Test Type: Immobilization

CAPTURE® SPOT ELIMINATOR



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2018/02/01

 2.1
 2018/11/13
 000000003000005246
 Date of first issue: 2014/10/23

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): > 2,000

mg/

Exposure time: 72 h

Persistence and degradability

No data available

Bioaccumulative potential

Components:

2-butoxyethanol:

Partition coefficient: n-

octanol/water

: log Pow: 0.83

propane:

Partition coefficient: n-

octanol/water

log Pow: 2.36

butane:

Partition coefficient: n-

octanol/water

: log Pow: 2.89

propan-2-ol:

Partition coefficient: n-

octanol/water

log Pow: 0.05

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82

Protection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was

manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +

B).

Additional ecological

information

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

CAPTURE® SPOT ELIMINATOR



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2018/02/01

 2.1
 2018/11/13
 000000003000005246
 Date of first issue: 2014/10/23

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No. : UN 1950

Proper shipping name : Aerosols, non-flammable

Class : 2.2

Packing group : Not assigned by regulation Labels : Non-flammable, non-toxic gas

203

Packing instruction (cargo

aircraft)

Packing instruction : 203

(passenger aircraft)

IMDG-Code

UN number : UN 1950
Proper shipping name : AEROSOLS

Class : 2.2

Packing group : Not assigned by regulation

Labels : 2.2
EmS Code : F-D, S-U
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

UN/ID/NA number : UN 1950

Proper shipping name : Aerosols, , non-flammable

Class : 2.2

Packing group : Not assigned by regulation Labels : NON-FLAMMABLE GAS

ERG Code : 126 Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ	
		(lbs)	(lbs)	
ammonia, aqueous solution	1336-21-6	1000	*	

^{*:} Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

CAPTURE® SPOT ELIMINATOR



Revision Date: SDS Number: Date of last issue: 2018/02/01 Version 2018/11/13 00000003000005246 Date of first issue: 2014/10/23 2.1

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards Gases under pressure

Serious eye damage or eye irritation

SARA 313 This material does not contain any chemical components with

> known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

The following chemical(s) are listed under the U.S. Clean Air Act Section 112(r) for Accidental

Release Prevention (40 CFR 68.130, Subpart F):

>= 1 - < 5 % propane 74-98-6 butane 106-97-8 >= 1 - < 5 %

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI

Intermediate or Final VOC's (40 CFR 60.489):

2-butoxvethanol 111-76-2 >= 5 - < 10 % propan-2-ol >= 1 - < 5 % 67-63-0

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

> 1336-21-6 >= 0 - < 0.1 % ammonia, aqueous

solution

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

> ammonia, aqueous 1336-21-6 >= 0 - < 0.1 %

solution

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section

Maine Chemicals of High Concern

This product does not contain any chemicals that are listed as Maine Chemicals of High Concern.

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Additional information is available by request. (regulatory@milliken.com)

SECTION 16. OTHER INFORMATION

Further information

Full text of other abbreviations

ACGIH USA. ACGIH Threshold Limit Values (TLV) ACGIH - Biological Exposure Indices (BEI) **ACGIH BEI NIOSH REL** USA. NIOSH Recommended Exposure Limits

CAPTURE® SPOT ELIMINATOR



Version Revision Date: SDS Number: Date of last issue: 2018/02/01 2018/11/13 00000003000005246 Date of first issue: 2014/10/23 2.1

OSHA P0 USA. OSHA - TABLE Z-1 Limits for Air Contaminants -

1910.1000

OSHA Z-1 USA. Occupational Exposure Limits (OSHA) - Table Z-1

Limits for Air Contaminants

ACGIH / TWA 8-hour, time-weighted average Short-term exposure limit ACGIH / STEL

Time-weighted average concentration for up to a 10-hour NIOSH REL / TWA

workday during a 40-hour workweek

NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded

> at any time during a workday 8-hour time weighted average

OSHA P0 / TWA : Short-term exposure limit OSHA P0 / STEL 8-hour time weighted average OSHA Z-1 / TWA

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials: bw - Body weight: CERCLA - Comprehensive Environmental Response. Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 2018/11/13

Please Note: As each customer's use of our product may be different, information we provide, including without limitation, any regulatory information, recommendations, test results, samples, care/labeling/processing instructions or marketing advice, is provided in good faith but without





 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2018/02/01

 2.1
 2018/11/13
 000000003000005246
 Date of first issue: 2014/10/23

warranty and without accepting any responsibility/liability. Each customer must test and be responsible for its own specific use, further processing, labeling, marketing, etc. All sales are exclusively subject to our standard terms of sale posted at www.milliken.com/terms (all additional/different terms are rejected) unless explicitly agreed otherwise in a signed writing.

US / EN