

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 12/02/2015 Supersedes: All previous versions Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Product form : Sentinel 821 Moisture Blocking Sealer/Primer with Antimicrobial Product Protection

: Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Uses of the substance/Mixture : Priming and sealing

1.3. Details of the supplier of the safety data sheet

Sentinel Products Inc. 8901 Wyoming Avenue North Phone: (763) 571-0630 Toll-free: (800)-373-0633 www.senpro.com

1.4. Emergency telephone number

Emergency number

: 1-866-359-5661

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Eye Irritation 2 H319

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)

\sim
GHS07

Signal word (GHS-US) Hazard statements (GHS-US) Precautionary statements (GHS-US)

: Warning

: H319 - Causes serious eye irritation

P264 - Wash hands thoroughly after handling.
P280 - Wear eye protection, protective clothing, protective gloves.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P501 - Dispose of contents/container to licensed waste handling facility.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%
2-(2-butoxyethoxy)ethanol	(CAS No) 112-34-5	Proprietary*

SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general	: If exposed or concerned, get medical attention/advice. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before re-use. Never give anything to an unconscious person.
First-aid measures after inhalation	: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if breathing is affected. If breathing is difficult, supply oxygen.

Sentinel 821 Moisture Blocking Sealer/Primer Safety Data Sheet Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

IN (or clothing): Remove affected clothing and wash all exposed skin with water for a
ninutes. If irritation develops or persists, get medical attention. S: Immediately flush with plenty of water for at least 15 minutes. Remove contact
bresent and easy to do so. If pain, blinking, or irritation develops or persists, get ttention. Continue rinsing.
_OWED: rinse mouth thoroughly. Do not induce vomiting without advice from poison nter or medical professional. Get medical attention if you feel unwell.
e and delayed
e respiratory irritation.
e skin irritation.
tact with the eyes is likely to be irritating.
e gastrointestinal irritation.
d special treatment needed
y powder. Carbon dioxide. Sand.
y be unsuitable as an extinguishing media, but helpful in keeping adjacent containe
ixture
mined.
mined.
vailable.
r spray or fog for cooling exposed containers. Exercise caution when fighting any fire. Do not dispose of fire-fighting water in the environment.
ter fire area without proper protective equipment, including respiratory protection.
emergency procedures
emergency procedures ic emergency measures are required other than good laboratory hygiene and safety
ic emergency measures are required other than good laboratory hygiene and safety
ic emergency measures are required other than good laboratory hygiene and safety
ic emergency measures are required other than good laboratory hygiene and safety
ic emergency measures are required other than good laboratory hygiene and safety tective equipment as described in Section 8.
ic emergency measures are required other than good laboratory hygiene and safety tective equipment as described in Section 8.
ic emergency measures are required other than good laboratory hygiene and safety tective equipment as described in Section 8. unnecessary personnel.
ic emergency measures are required other than good laboratory hygiene and safety tective equipment as described in Section 8. unnecessary personnel. able protective clothing, gloves and eye or face protection. Approved supplied-air , in case of emergency.
ic emergency measures are required other than good laboratory hygiene and safety tective equipment as described in Section 8. unnecessary personnel.
ic emergency measures are required other than good laboratory hygiene and safety tective equipment as described in Section 8. unnecessary personnel. able protective clothing, gloves and eye or face protection. Approved supplied-air , in case of emergency. ing up ny spills with dikes or absorbents to prevent migration and entry into sewers or spills with inert solids, such as clay or diatomaceous earth as soon as possible. Plac
ic emergency measures are required other than good laboratory hygiene and safety tective equipment as described in Section 8. unnecessary personnel. able protective clothing, gloves and eye or face protection. Approved supplied-air , in case of emergency. ing up ny spills with dikes or absorbents to prevent migration and entry into sewers or spills with inert solids, such as clay or diatomaceous earth as soon as possible. Plac
ic emergency measures are required other than good laboratory hygiene and safety tective equipment as described in Section 8. unnecessary personnel. able protective clothing, gloves and eye or face protection. Approved supplied-air , in case of emergency. ing up ny spills with dikes or absorbents to prevent migration and entry into sewers or spills with inert solids, such as clay or diatomaceous earth as soon as possible. Plac
ic emergency measures are required other than good laboratory hygiene and safety tective equipment as described in Section 8. unnecessary personnel. able protective clothing, gloves and eye or face protection. Approved supplied-air , in case of emergency. ing up ny spills with dikes or absorbents to prevent migration and entry into sewers or spills with inert solids, such as clay or diatomaceous earth as soon as possible. Plac
ic emergency measures are required other than good laboratory hygiene and safety tective equipment as described in Section 8. unnecessary personnel. able protective clothing, gloves and eye or face protection. Approved supplied-air , in case of emergency. ing up ny spills with dikes or absorbents to prevent migration and entry into sewers or spills with inert solids, such as clay or diatomaceous earth as soon as possible. Plac
ic emergency measures are required other than good laboratory hygiene and safety tective equipment as described in Section 8. unnecessary personnel. able protective clothing, gloves and eye or face protection. Approved supplied-air , in case of emergency. ing up ny spills with dikes or absorbents to prevent migration and entry into sewers or spills with inert solids, such as clay or diatomaceous earth as soon as possible. Plac
ic emergency measures are required other than good laboratory hygiene and safety tective equipment as described in Section 8. unnecessary personnel. able protective clothing, gloves and eye or face protection. Approved supplied-air , in case of emergency. ing up ny spills with dikes or absorbents to prevent migration and entry into sewers or spills with inert solids, such as clay or diatomaceous earth as soon as possible. Plac ble container for disposal in accordance with the waste regulations (see Section 13).
ic emergency measures are required other than good laboratory hygiene and safety tective equipment as described in Section 8. unnecessary personnel. able protective clothing, gloves and eye or face protection. Approved supplied-air , in case of emergency. ing up ny spills with dikes or absorbents to prevent migration and entry into sewers or spills with inert solids, such as clay or diatomaceous earth as soon as possible. Plac ole container for disposal in accordance with the waste regulations (see Section 13)

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.3. Specific end use(s)

No additional information available

8.1. C	Control parameters			
2-(2-butoxyethoxy)ethanol (112-34-5)				
Remark (ACGIH)		TWA - 10 ppm		
	Remark (US OSHA)	OELs not established		
8.2. E	Exposure controls	· · · · · · · · · · · · · · · · · · ·		
Appropriate	e engineering controls	: Provide adequate general and local exhaust ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof equipment with flammable materials. Ensure adequate ventilation, especially in confined areas.		
Personal pr	rotective equipment	: Protective goggles.		
occur. Gloves should be classified under Standard EN 374 or ASTM F1296. materials are: Neoprene, Nitrile/butadiene rubber, Polyethylene, Ethyl vinyl a PVC or vinyl. Suitable gloves for this specific application can be recommend		: Use gloves chemically resistant to this material when prolonged or repeated contact could occur. Gloves should be classified under Standard EN 374 or ASTM F1296. Suggested glove materials are: Neoprene, Nitrile/butadiene rubber, Polyethylene, Ethyl vinyl alcohol laminate, PVC or vinyl Suitable gloves for this specific application can be recommended by the glove supplier.		
Eye protect	tion	: Use eye protection suitable to the environment. Avoid direct contact with eyes.		
Skin and body protection		: Wear protective clothing if desired.		
Respiratory	rprotection	: Use NIOSH-approved dust/particulate respirator. Where vapor, mist, or dust exceed PELs or other applicable OELs, use NIOSH-approved respiratory protective equipment.		
SECTION	N 9: Physical and chemic	cal properties		
9.1. Ir	nformation on basic physical a	and chemical properties		
Physical sta	ate	: Liquid		
Color		: White, dries clear.		
Odor	: Slight.			

		•
Color	:	White, dries clear.
Odor	:	Slight.
Odor Threshold	:	No data available
рН	:	No data available
Relative evaporation rate (butylacetate=1)	:	No data available
Relative evaporation rate (ether=1)	:	< 1, Slower than ether
Melting point	:	No data available
Freezing point	:	0 °C (32 °F)
Boiling point	:	100 °C (212 °F)
Flash point	:	None to boiling
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Flammability (solid, gas)	:	No data available
Vapour pressure	:	No data available
Relative vapour density at 20 °C	:	No data available
Relative density	:	No data available
Solubility	:	Complete solubility in water.
Log Pow	:	No data available
Log Kow	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available
Explosive properties	:	No data available
Oxidising properties	:	No data available
Explosive limits	:	No data available

9.2. Other information

No additional information available

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Freezing.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Oxides of carbon and nitrogen

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Not classified

2-(2-butoxyethoxy)ethanol (112-34-5)	
LD50 oral rat	> 4500 mg/kg
LD50 dermal rabbit	> 2500 mg/kg
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Likely to cause eye damage
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: May cause skin irritation.
Symptoms/injuries after eye contact	: Direct contact with the eyes is likely to be irritating.
Symptoms/injuries after ingestion	: May cause gastrointestinal irritation.

SEC	TION 12: Ecological information	
12.1.	Toxicity	

Ecology - general

: Aquatic toxicity rating not determined. All possible measures should be taken to prevent release into the environment.

12.2. Persistence and degradability

Sentinel 821 Moisture Blocking Sealer/Primer	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods	: Do not discharge to public wastewater systems without permit of pollution control authorities. No discharge to surface waters is allowed without an NPDES permit.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
SECTION 14: Transport information	
In accordance with DOT	
Not hazardous for transport	
Additional information	
Other information	: No supplementary information available.
Transport by sea	
No additional information available	

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

Sentinel 821 Moisture Blocking Sealer/Primer

All chemical substances in this product are listed in the EPA (Environment Protection Agency) TSCA (Toxic Substances Control Act) Inventory SARA Section 311/312 Hazard Classes Immediate (acute) health hazard

15.2. International regulations

CANADA

2-(2-butoxyethoxy)ethanol (112-34-5)

Listed on the Canadian DSL (Domestic Substances List) inventory.

15.2.2. National regulations

2-(2-butoxyethoxy)ethanol (112-34-5)

Listed on Inventory of Existing Chemical Substances (IECSC)

Listed on the AICS (the Australian Inventory of Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory.

Listed on the Korean ECL (Existing Chemical List) inventory.

Listed on the Philippines CCS (Chemicals & Chemical Substances) inventory.

15.3. US State regulations

This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

Triethanolamine (102-71-6)		
U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List		
U.S Pennsylvania - RTK (Right to Know) List		
Zinc oxide (1314-13-2)		
U.S New Jersey - Right to Know Hazardous Substance List		
U.S Massachusetts - Right To Know List		

U.S.	- Pennsylvania - RTK (Right to Know) - Environmental Hazard List

Zirconium oxide (1314-23-4)

U.S. - Massachusetts - Right To Know List

Silica, amorphous (7631-86-9)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Massachusetts Right To Know List
- U.S. Pennsylvania RTK (Right to Know) List

SECTION 16: Other information

Indication of changes

: Revision 1.0: - 02 December 2015 - New SDS Created.

Safety Data Sheet

Personal Protection

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

:

Other information	: Author: KAD
NFPA health hazard	: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.
NFPA fire hazard	: 0 - Materials that will not burn.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 1
Flammability	: 0
Physical	: 0

The information in this document is believed to be correct as of the date issued. However, no warranty of merchantability, fitness for any particular purpose, or any other warranty is expressed or is to be implied regarding the accuracy or completeness of this information, the results to be obtained from the use of this product or the hazards related to its use. This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he assume the risk of his use thereof.