

1. Identification

Product Identifier	Outdoor Stone Cleaner
Other means of identification Product code	APX-RDOSC-2
Recommended use	Stone and hard surface cleaner
Recommended restrictions	None known.
Manufacturer information	
Company name	Rock Doctor
Address	8333 Melrose Drive
	Lenexa, KS 66241
Telephone	(913) 894-0288
Emergency phone number	PERS 24-hour Emergency (800) 633-8253

2. Hazard(s) Identification

Physical hazards	Not classified.	
Health hazards	Skin irritation	Category 2
	Eye irritation	Category 2A
Environmental hazards	Not classified.	
OSHA defined hazards	None.	
Label elements		

Signal word	WARNING
Hazard statement	Causes skin irritation.
Precautionary statement	Causes serious eye irritation.
Prevention	Wash hands and exposed skin thoroughly after handling. Wear protective gloves. Wear eye protection/face protection.
Response	 IF ON SKIN: Wash with plenty of water. Specific treatment (see section 4 on this SDS). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. If eye irritation persists: Get medical advice/attention.
Storage	No prescriptive instruction.
Disposal	Dispose in accordance with all applicable federal, state and local rules and regulations
Hazard(s) not otherwise classified (HNOC)	None.
Supplemental information	None.



3. Composition/information on ingredients

Mixture Component(s)		
Chemical name	CAS number	%
Hydrogen peroxide	7722-84-1	4-7
Alcohols, C9-11, ethoxylated	68439-46-3	0.25-1
Other components below reportable lev	els	92-95

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and warm water for at least 15 minutes. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do so. Immediately call a physician or transport to hospital.
Ingestion	Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting. Have victim rinse mouth with water, then give one to two glasses of water to drink. Never give anything by mouth to an unconscious person
Most important symptoms/effects, acute and delayed	Can cause eye irritation. Can cause burning sensation in affected areas. Can cause dermatitis, rash. Hydrogen peroxide can temporarily turn the skin white with persistent contact. Symptoms may include tearing, redness and discomfort of the eyes. May cause mild skin irritation. Symptoms may include redness, itching and swelling. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Indication of immediate medical attention and special treatment needed	Provide general support measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. Use with caution.

5. Fire-fighting measures

Suitable extinguishing media	Water fog or water deluge.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire. Where possible avoid using foam, dry chemical powder or carbon dioxide (CO ₂) to extinguish fires.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	May intensify fire; oxidizer. Substance releases oxygen when heated, which may increase the severity of an existing fire.

6. Accidental release measures

Personal precautions,
protective equipment and
emergency proceduresKeep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep
out of low areas. Wear appropriate protective equipment and clothing during clean-up.
Avoid inhalation of vapors or mists. Do not touch damaged containers or spilled materials
unless wearing appropriate protective clothing. Ensure adequate ventilation. Local
authorities should be advised if significant spillages cannot be contained. For personal
protection, see section 8 of the SDS.



Methods and materials for

containment and cleaning up

SAFETY DATA SHEET

This product is miscible in water.

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where
this is possible. Ventilate area of release. Remove all sources of ignition. Dike for water
control. Contain and absorb spilled liquid with non-combustible, inert, absorbent material
(e.g. sand or clay), then place absorbent material into a container for later disposal.
Prevent entry into waterways, sewer, basements or confined areas. Following product
recovery, flush area with water.Small spills: Wipe up with absorbent material (e.g. cloth, or synthetic textile wipes). Clean
surface thoroughly with water to remove residual contamination.Never return spills to original container for re-use. For waste disposal, see section 13 of the
SDS.Environmental precautionsEnsure spilled product does not enter drains, sewers, waterways, or confined spaces. Avoid
release to the open environment. Avoid discharge into surface waterways and areas not
consistent with package labeling.7. Handling and storage

Precautions for safe handling	Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Keep away from combustible material. Label containers appropriately to identify potential hazards
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS). Store in a cool, dry, well-ventilated area. Store out of direct sunlight. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. No smoking in the area. Store higher volumes of product in vented containers.

8. Exposure controls/personal protection

Occupational exposure limit	s	
US OSHA Table Z-1 Limits	for Air Contaminants (29 CFR 1910.1	.000)
Components	Туре	Value
Hydrogen Peroxide	PEL	1 ppm (1.4 mg/l)
US ACGIH Threshold Limit	t Values	
Components	Туре	Value
Hydrogen Peroxide	TWA	1 ppm (1.4 mg/l)
Biological limit values		
No data available.		
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels to an acceptable level. It is recommended that users of this product perform a risk assessment to determine the appropriate personal protective equipment.	
Individual protection measu	res, such as personal protective equi	pment
Eye/face protection	Avoid contact with eyes. Wear sa	fety glasses with side shields (or goggles).



Skin protection	
Hand protection	The use of gloves impervious to the specific material handled is advised to prevent skin contact. Users should check with manufacturers to confirm the breakthrough performance of their products. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Suggested protective materials: Nitrile and PVC rubber.
Other	Wear appropriate chemical resistant clothing as needed to prevent direct contact with skin.
Respiratory protection	In case of insufficient ventilation, wear suitable NIOSH-approved respiratory equipment. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02.
Thermal hazards	Thermal protective clothing not indicate for prescribed use of this product
General hygiene considerations	When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance	
Physical State	Liquid
Color	Colorless
Odor	No significant odor
Odor threshold	Not available.
рН	4.5-6
Melting/freezing point	23°F (-5°C) estimated.
Initial boiling point and	>212°F (>100°C).
boiling range	
Flash point	>392°F (>200°C).
Evaporation rate	Not available.
Flammability	Not available.
Flammability Limits	
Upper	Not available.
Lower	Not available.
Vapor pressure	22 mm Hg @ 30° (Approximated)
Vapor density	Not available.
Specific gravity (water=1)	1.01
Solubility in water	Complete.
Partition coefficient	Not applicable.
(n-octanol/water)	
Auto-ignition temperature	Not available.
Decomposition temperature	>150-152°C (Literature-based)
Viscosity	Not available.

10. Stability and reactivity

Reactivity	This product is stable and non-reactive under normal conditions of use.
Chemical stability	Material is stable under normal conditions. Store in a cool dark place.
Possibility of hazardous reactions	Hazardous polymerization does not occur.



Conditions to avoid	Material decomposes with the potential to produce a rupture of unvented closed containers. Avoid storing in excessive heat or sunlight.
Incompatible materials	Combustible materials. nitric acid, organic materials, metals, reducing agents, potassium pentaborate tetrahydrate.
Hazardous decomposition products	No hazardous decomposition products occur in prescribed storage. Oxygen gas can be liberated at temperatures above ambient.

11. Toxicological information

Information on likely routes of exposure

Ingestion	Do not ingest. May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea
Inhalation	Do not inhale mists. May irritate the upper respiratory tract.
Skin contact	Can cause skin irritation.
Eye contact	Can cause serious eye irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Skin irritation, serious eye irritation. Can temporarily turn skin white with prolonged contact.
Acute toxicity	Analogous products are reported to have low toxicity to humans.

Product Outdoor Stone Cleaner (CAS mixture)		
Exposure Classification	Route and Species	LD ₅₀
Acute	Oral, rat	>26,200 mg/kg estimated.
Acute	Dermal, rabbit	> 2,570 mg/kg (estimated)
*Estimates for product may be based on additional component data not shown		

Skin corrosion/irritation	Can cause skin irritation.
Serious eye damage/ irritation	Can cause serious eye irritation.
Respiratory sensitization	Not considered a respiratory sensitizer.
Skin sensitization	Not considered a skin sensitizer.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	Components not identified by IARC as a defined group carcinogen.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	Not Listed.
Reproductive toxicity	No data available.
Specific target organ toxicity – single exposure	May irritate the upper respiratory tract with prolonged inhalation.
Specific target organ toxicity – repeated exposure	No listed chemicals are classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015)
Aspiration hazard	No data available.

12. Ecological information

Ecotoxicity		
Product Outdoor Stone Cleaner (CAS mixture)		
Aquatic Receptor	Species	Test Results
Crustacea	Daphnia magna	EC ₅₀ = >2.8 mg/L (estimated) 48 hours



Fish	Fathead minnow (Pimephales promelas)	LD ₅₀ = >16.8.4 mg/L (Literature) 72-hour
Algae	Pseudokirchneriella subcapitata	NOEC = 0.70 mg/l (Literature) 72-hour
*Estimates for product ma	ay be based on additional component data not sh	own
Persistence and degradability	Hydrogen peroxide in the aquatic environment processes and decomposes into water and oxy freshwater ranges from 8 hours to 20 days, in minutes to hours depending upon microbiolog Alcohol ethoxylate: considered readily biodegr	gen. Hydrogen peroxide half-life in air from 10 to 20 hours, and in soils from ical activity and metal contamination.
Bio-accumulative potential	Expected to be low, will likely degrade before a	accumulation can occur.
Mobility in soil	Will likely be mobile in saturated soils but will fractions.	degrade quickly or adsorb readily to organic
Other adverse effects	No other adverse environmental effects known tropospheric ozone precursor, greenhouse gas deleterious environmental effect)	

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues/unused product	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT Not regulated as dangerous goods.

15. Regulatory information

SARA 302 Extremely hazardous substa	ance Not listed.
SARA 304 Emergency release notificat	tion Not listed.
SARA 311/312 Hazard Categories	
Immediate Hazard - Yes	;
Delayed Hazard – No	
Fire Hazard – No	
Pressure Hazard – No	
Reactivity Hazard – No	
SARA 313 (TRI reporting)	Not listed

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to threshold determination and Safe Harbor notification (1/2019)



TSCA – All chemical components used to manufacture this product comply with the Toxic Substances Control Act (TSCA) registry requirements and are either listed within, or exempted from, the current TSCA 8(b) inventory.

16. Other information, including date of preparation or last revision

Issue date	4/23/2020
Revision date	
Version #	1
HMIS [®] ratings	Health: 1 Flammability: 0 Physical hazard: 0
	HEALTH I FLAMMABILITY I REACTIVITY I PERSONAL PROTECTION I
NFPA ratings	Health: 1 Flammability: 0 Instability: 0
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified
Revision information	by the text.